KERSHAW

2001-2002

kershaw KNIVES

"technology with an edge"

Ken Onion Designs

"technology with an edge"

State-of-the-Art Technology Meets State-of-the-Art Design

Kershaw introduces our bold, fresh, new "Onions" for 2001-2002. Designed by custom knifemaker, Ken Onion, and manufactured with Kershaw's exacting attention to quality, detail, and craftsmanship, these new knives proudly take their place in Kershaw's popular line of Ken Onion Speed-Safe knives.

- Speed-Safe torsion bar technology for smooth and easy assisted opening
- Quality 440A or high-carbon 420 stainless-steel blades with 55-57 Rockwell hardness rating
- High-tech handle materials including injection-molded Polyamide and stainless steel
- Removable pocket clip included with all models

On the Cover

A high-intensity laser cuts the blanks for Kershaw's Boa knives which feature the Speed-Safe ambidextrous Index Finger Opening System.

SPEEDSAFE™ TECHNOLOGY WITH AN EDGE

kershaw Ken Onion USA

HIGH-TECH

SCALLION Model 1620ST
Steel–420 high-carbon
Handle–Polyamide
Blade–2 1/4 in. (5.8 cm), partially serrated
Closed–3 1/4 in. (8.4 cm)
Weight–2.3 oz.

ACTUAL SIZE

SCALLION Model 1620
Steel–420 high-carbon
Handle–Polyamide
Blade–2 1/4 in. (5.8 cm)
Closed–3 1/4 in. (8.4 cm)
Weight–2.3 oz.

ACTUAL SIZE

CHIVE Model 1600

Steel–420 high-carbon
Handle–410 stainless-steel
Blade–1 15/16 in. (4.9 cm)
Closed–2 7/8 in. (7.3 cm)
Weight–1.9 oz.

From Design to Final Polish, the Quality is Engineered-In

Custom knifemaker, Ken Onion, oversees the engineering designs for the new Chive, Model 1600. Ken began his quest to design the perfect knife as a Marine machinist. After years of R&D, he created his first Speed-Safe knife. Today, Ken designs a custom selection of knives for Kershaw–all featuring the patented Speed-Safe torsion bar mechanism for assisted opening. His personal involvement ensures each "Onion" meets his high standards for quality. (Kershaw Onion knives are covered by US Patent Number 6,145,202 and other patents pending.)

Rocky Mountain Elk Foundation

Join Us in Working for Wildlife

Kershaw's new Elk Model 1560RM was specially designed to help benefit the Rocky Mountain Elk Foundation. A portion of the proceeds from the sale of this product go to benefit the Foundation and its habitat-conservation projects. This international, nonprofit organization's mission is to insure the future of elk, other wildlife, and their habitat for future generations. Learn more at www.rmef.org or 1-800-CALL-ELK.

NOT ACTUAL SIZE

ELK Model 1560RM

Steel–440A, black, ti-nitride-coated
Handle–Polyamide
Blade–3 1/4 in. (8.4 cm)
Closed–4 1/2 in. (11.5 cm)
Weight–3.5 oz.

Ken Onion Designs

"technology with an edge"

kershaw Ken Onion USA

Speed-Safe Index Finger Opening System Provides Truly Ambidextrous Operation

Left-handed? Right-handed? It doesn't matter with Kershaw's Ken Onion Boa knives (Models 1580MCST, 1580, 1580ST,1580MC). That's because, instead of using your thumb, the Boa opens with your index finger.* Start the blade out of the handle with pressure from your index finger. Then the Speed-Safe assisted opening technology moves the blade smoothly into position, locking it for safe use.

Kershaw has also refined the Avalanche, Models 1570 and 1570ST, adding handsome, black, titanium-nitride-coated blades.

- Speed-Safe torsion bar technology for smooth and easy assisted opening
- Quality CPM-440V or 440A stainless-steel blades with 55-57 Rockwell hardness rating
- Heat-treated 410 stainless-steel liners
- High-tech handle materials including powder-coated aircraft aluminum, textured G-10, and injection-molded Polyamide
- Removable pocket clip included with all models

* If you prefer, the Boa can also be opened with the thumbstud.

SPEEDSAFE™ TECHNOLOGY WITH AN EDGE

BOA Model 1580MCST
Steel- CPM-440V,
Handle- aircraft aluminum
Blade- 3 3/8 in. (8.6cm.)
Closed- 4 3/4 in. (12cm.)
Weight- 4.9 oz.
Index finger opening

Employing CNC machining, 6061 T6 aluminum is turned into durable, lightweight handles for Kershaw's new Ken Onion Boa knives.

BOA Model 1580
Steel- CPM-440V, ti-nitride-coated
Handle- aircraft aluminum
Blade- 3 3/8 in. (8.6cm.)
Closed- 4 3/4 in. (12cm.)
Weight- 4.9 oz.
Index finger opening

Kershaw's BOA Knives feature Speed-Safe Index Finger Opening for left or right-handed operation.

HIGH-TECH

BOA Model 1580ST
Steel- CPM-440V, ti-nitride-coated
Handle- aircraft aluminum
Blade- 3 3/8 in. (8.6cm.)
Closed- 4 3/4 in. (12cm.)
Weight- 4.9 oz.
Index finger opening

BOA Model 1580MC
Steel- CPM-440V
Handle- aircraft aluminum
Blade- 3 3/8 in. (8.6cm.)
Closed- 4 3/4 in. (12cm.)
Weight- 4.9 oz.
Index finger opening

AVALANCHE Model 1570/1570ST
Steel- CPM-440V, ti-nitride-coated
Handle- G-10
Blade- 3 1/8 in. (7.9cm.)
Closed- 4 1/2 in. (11.3cm.)
Weight- 3.5 oz.

Model 1570

Model 1570ST

WHIRLWIND Model 1560
Steel- 440A
Handle- Polyamide
Blade- 3 1/4 in. (8.4cm.)
Closed- 4 1/2 in. (11.3cm.)
Weight- 3.5 oz.

WHIRLWIND Model 1560ST
Steel- 440A
Handle- Polyamide
Blade- 3 1/4 in. (8.4cm.)
Closed- 4 1/2 in. (11.3cm.)
Weight- 3.5 oz.

BLACK OUT Model 1550
Steel- 440A, ti-nitride-coated
Handle- Polyamide
Blade- 3 1/4 in. (8.4cm.)
Closed- 4 1/2 in. (11.3cm.)
Weight- 3.5 oz.

BLACK OUT Model 1550ST
Steel- 440A, ti-nitride-coated
Handle- Polyamide
Blade- 3 1/4 in. (8.4cm.)
Closed- 4 1/2 in. (11.3cm.)
Weight- 3.5 oz.

Multi-Tool

"technology with an edge"

New Tool Adapter Makes Kershaw's Popular Multi-Tool Even More Versatile

Upgrade your Kershaw Multi-Tool with our new Tool Adapter and Utility Sheath. The Tool Adapter features six different 1/4-hex drive bits-one that's right for just about every job.

Use Kershaw's locking-jaw function to grip the adapter horizontally, at a 45-degree angle, or a 90-degree angle to reach places you can't reach with an ordinary tool.

- Ten handy functions in one well-built Multi-Tool
- Tool Adapter features six additional functions
- Locking-jaw pliers clamp on for hands-free operation and enable use of new Tool Adapter
- Unique design lets you open knife with one hand–without unfolding the Multi-Tool
- Features 440A stainless-steel, drop-point blade with partial serration
- Black nylon or harness-leather sheath for Multi-Tool
- Tool Adapter sheath holds Adapter and fittings; hooks to belt or Multi-Tool sheath

kershaw MULTI-TOOL USA

ACTUAL SIZE

KERSHAW MULTI-TOOL

Model A100C

Blade–3 in. (7.6 cm),
440A stainless steel, locking,
drop-point, partially serrated
Hacksaw blade–2 1/2 in. (6.4 cm)
File–2 1/4 in. (5.7 cm)
Slotted screwdriver–1 1/2 in. (3.8 cm)
Phillips screwdriver–1 7/8 in. (4.8 cm)
Can/bottle opener
Overall length–6 3/4 in. (17.1 cm)
Weight–8.6 oz.
Includes black, nylon sheath

KERSHAW

2001-2002



KERSHAW MULTI-TOOL Model A100L

Blade–3 in. (7.6 cm), 440A stainless steel, locking, drop-point, partially serrated
Hacksaw blade–2 3/8 in. (6 cm)
File–2 1/4 in. (5.9 cm)
Slotted screwdriver–1 1/2 in. (3.8 cm)
Phillips screwdriver–1 7/8 in. (4.8 cm)
Can/bottle opener–1 1/2 in. (3.8 cm)
Overall length–6 5/8 in. (17 cm)
Weight–8.6 oz.
Includes leather sheath

ACTUAL SIZE

Kershaw Multi-Tools are assembled by hand in the USA and inspected at every step in the process.

SHEATH WITH TOOL ADAPTER

Model A100TA

Tool adapter–3 1/8 in. (8 cm)
Bits–6 assorted:
#0 Phillips screwdriver
#3 Phillips screwdriver
9/32 Slotted screwdriver
R1 Square drive
T-15 Torx®
T-5 Torx®
Overall length with bit–3 3/4 in. (9.6 cm)
Weight–3.1 oz.
Includes Tool Adapter and black, nylon sheath

KERSHAW MULTI-TOOL WITH TOOL ADAPTER

Model A100CTA

Blade–3 in. (7.6 cm), 440A stainless steel, locking, drop-point, partially serrated
Hacksaw blade–2 3/8 in. (6 cm)
File–2 1/4 in. (5.9 cm)
Slotted screwdriver–1 1/2 in. (3.8 cm)
Phillips screwdriver–1 7/8 in. (4.8 cm)
Can/bottle opener–1 1/2 in. (3.8 cm)
Tool adapter–3 1/8 in. (8cm)
Bits–6 assorted (see A100TA)
Overall length–9 3/4 in. (24.7 cm)
Weight–11.7 oz.
Includes Tool Adapter and black, nylon sheath

Liner Action

"technology with an edge"

The Perfect, Lightweight Knife for Everyday Use or Sporting Action

Kershaw's Liner Action series remains a favorite with knife enthusiasts across the country. There are lots of good reasons why:

- One-handed opening and closing
- Locking liner holds blade safely in place, releases easily with one hand
- AUS6A stainless-steel blade
- Die-cast-aluminum handle with non-slip, co-polymer inset
- Removable pocket clip comes with all models except 2410 and 2410ST
- Tanto tactical blade available on Models 2420, 2420ST, 2415, and 2415ST
- Extremely lightweight, incredibly sharp

LINER ACTION/TANTO Model 2420TST

Blade–3 1/2 in. (9 cm), locking, partially serrated
Closed–4 1/2 in. (11.8 cm)
Weight–3.3 oz.

The Rockwell Hardness Scale is used to measure the strength and durability of the steels Kershaw uses to make its blades. Here, the Rockwell test is being administered to a blade.

HANDY POCKET CLIP

LINER ACTION/TANTO

Model 2420T

Blade–3 1/2 in. (9 cm), locking
Closed–4 1/2 in. (11.8 cm)
Weight–3.3 oz.

HIGH-TECH

LINER ACTION/TANTO Model 2415T
Blade–2 7/8 in. (7.5 cm), locking
Closed–3 3/4 in. (9.6 cm)
Weight–2 oz.

LINER ACTION/TANTO Model 2415TST
Blade–2 7/8 in. (7.5 cm), locking, partially serrated
Closed–3 3/4 in. (9.6 cm)
Weight–2 oz.

LINER ACTION Model 2410
Blade–2 5/8 in. (6.7 cm), locking, drop-point
Closed–3 3/8 in. (8.6 cm)
Weight–1.2 oz.

LINER ACTION Model 2410ST
Blade–2 5/8 in. (6.7 cm), locking, drop-point, partially serrated
Closed–3 3/8 in. (8.6 cm)
Weight–1.2 oz.

LINER ACTION Model 2415
Blade–2 7/8 in. (7.5 cm), locking, drop-point
Closed–3 3/4 in. (9.6 cm)
Weight–2 oz.

LINER ACTION Model 2415ST
Blade–2 7/8 in. (7.5 cm), locking, drop-point, partially serrated
Closed–3 3/4 in. (9.6 cm)
Weight–2 oz.

LINER ACTION Model 2420
Blade–3 1/2 in. (9 cm), locking, drop-point
Closed–4 1/2 in. (11.8 cm)
Weight–3.3 oz.

LINER ACTION Model 2420ST
Blade–3 1/2 in. (9 cm), locking, drop-point, partially serrated
Closed–4 1/2 in. (11.8 cm)
Weight–3.3 oz.

Cascade Meadow

"technology with an edge"

Classic, Graceful Styling That's a Pleasure to Own and to Use

Cascade Meadow knives were some of Kershaw's first–and they remain one of our most popular today.

- Quality AUS6A stainless-steel construction
- Slim, satin-finished handle, inlaid with genuine, polished sandalwood
- Four styles available, suited to pocket or purse
- Each blade hand honed to Kershaw's famous 'shaving sharp' edge

D.W.O.s So Handy and Hard Working, One is Not Enough

We built our D.W.O.s to dish it out and to take it. These are some tough, little knives–perfect for pocket, glove compartment, tool box, or truck box. Kershaw's D.W.O.s are named in memory of Delley Wade Officer who fell victim to a tragic hunting accident. A portion of the proceeds from the sale of each knife goes to Delley's family.

- Non-slip, co-polymer handle is ergonomically designed for comfort
- Quality AUS6A or 440A stainless-steel blades
- Rugged construction
- Blade locks safely into position, releases easily
- Hand-honed to a 'shaving sharp' edge

SOMMELIER'S TOOL

Model 2170

Blade–1 1/2 in. (3.8 cm)
Corkscrew–2 in. (5.2 cm)
Bottle cap opener
Closed–4 1/2 in. (11.7 cm)
Weight–2.2 oz.
Includes fine-grain leather sheath

INDIAN FORD Model 2155

Blade–2 5/8 in. (6.9 cm), locking, modified clip
Closed–3 1/2 in. (8.9 cm)
Weight–2.7 oz.

SQUAW CREEK Model 2150

Blade–2 in. (5.1 cm), locking, modified clip
Closed–2 5/8 in. (6.8 cm)
Weight–1.4 oz.

BLACK BUTTE Model 2165

Blade–1 3/4 in. (4.4 cm), clip
Scissors–1 5/8 in. (4.3 cm)
Closed–2 1/4 in. (5.9 cm)
Weight–2 oz.

LITTLE DESCHUTES/MONEY CLIP

Model 2160

Blade–1 3/4 in. (4.4 cm), clip
Scissors–1 5/8 in. (4.3 cm)
Closed–2 1/4 in. (5.9 cm)
Weight–1.4 oz.

KERSHAW

D.W.O.s

D.W.O.s are available with classic black, indigo blue, or easy-to-spot red or orange handles.

D.W.O. CLASSIC
Model 3000AOR

D.W.O. CLASSIC
Model 3000ARD

D.W.O. CLASSIC
Model 3000ABL

Kershaw uses a SmartScope with high-definition camera to ensure all parts are to specification.

D.W.O. CLASSIC

Model 3000A

Blade–2 3/8 in. (6.1 cm),
locking, clip
Closed–3 1/4 in. (8.4 cm)
Weight–1.6 oz.

D.W.O. III

Model 3003ST

Blade–3 1/8 in. (7.9 cm),
locking, clip,
partially serrated
Closed–4 in. (10.4 cm)
Weight–2.5 oz.

WADE OFFICER

Model 4400ST

Blade 1–3 1/8 in. (7.9 cm),
locking, clip;
Blade 2–2 1/8 in. (6.6 cm),
serrated sheepfoot
Closed–3 7/8 in. (10 cm)
Weight–2.5 oz.

D.W.O.

Model 3000ST

Blade–2 1/4 in. (5.9 cm),
locking, serrated sheepfoot
Closed–3 1/4 in. (8.3 cm)
Weight–1.6 oz.

D.W.O. II

Model 3002

Blade–2 in. (5.1 cm),
locking, clip
Closed–2 5/8 in. (6.6 cm)
Weight–.8 oz.

Officer Ranch

"technology with an edge"

When Performance Counts, Count on Officer Ranch Knives

Kershaw introduces two new classics-the Double Cross (Model 4380) and the Double Duty (Model 4390). Both double-bladed knives feature one-handed opening and employ a single liner to lock both blades. With their traditional good looks, these are knives you'll feel good about carrying.

The same goes for the rest of the Officer Ranch line of ranch-tough work knives. These hardworking knives combine good looks with real-world performance. Field tested at the Officer Ranch in Grant County, Oregon, these handsome knives have proven themselves again and again.

- AUS6A premium-quality, stainless-steel blades
- Two handle styles–satin-finished steel with sandalwood inlay; sintered-metal alloy inset with cross-grooved ABS scales and drilled to accept a lanyard
- Blades lock safely into position, release easily
- Ruggedly built to last a lifetime

SHOTGUN SHELL Model 12GAD
Blade–2 in. (5.1 cm), clip
Screwdriver/file–2 in. (5.1 cm),
Closed–2 5/8 in. (6.7 cm)

DOUBLE CROSS Model 4380
Blade 1–2 3/8 in. (5.9 cm), locking drop point
Blade 2–1 7/8 in. (4.7 cm), Wharncliffe
Closed–3 1/2 in. (8.9 cm)
Weight–2.2 oz.

Every Kershaw knife must pass the 'paper test.' If it can't shave newsprint like a hot knife through butter, it's not 'shaving sharp' enough for Kershaw.

DOUBLE DUTY Model 4390
Blade 1–2 3/4 in. (7.1 cm),
locking clip point
Blade 2–2 5/8 in. (6.7 cm), spey
Closed–4 1/8 in. (10.5 cm)
Weight–3.1 oz.

KERSHAW

WILDCAT RIDGE

Model 3140

Blade–3 1/2 in. (9 cm), locking, clip
Closed–4 7/8 in. (12.5 cm)
Weight–4.3 oz.
Includes nylon sheath

BLACK GULCH Model 3120

Blade–3 in. (7.6 cm), locking, clip
Closed–4 1/8 in. (10.5 cm)
Weight–4.3 oz.
Includes nylon sheath

BLACK GULCH

Model 3120ST (Not Shown)

Blade–3 in. (7.6 cm), locking, partially serrated
Closed–4 1/8 in. (10.5 cm)
Weight–4.3 oz.
Includes nylon sheath

BLUE MOUNTAIN

Model 3130

Blade 1–3 in. (7.6 cm), locking, clip
Blade 2–2 1/2 in. (6.3 cm), sheepfoot
Closed–4 1/8 in. (10.7 cm)
Weight–5.7 oz.
Includes nylon sheath

CORRAL CREEK Model 3115

Blade–2 1/2 in. (6.2 cm), locking, clip
Closed–3 3/8 in. (8.6 cm)
Weight–2.2 oz.

JUNIPER CANYON Model 3110

Blade 1–1 7/8 in. (4.9 cm), locking, clip
Blade 2–1 3/4 in. (4.5 cm), drop-point
Closed–2 5/8 in. (6.8 cm)
Weight–1.6 oz.

GRANT COUNTY Model 3100

Blade–1 7/8 in. (4.9 cm), locking, clip
Closed–2 5/8 in. (6.8 cm)
Weight–1.2 oz.

WHISKEY GAP Model 4100

Blade–2 1/4 in. (5.9 cm), locking, clip
Closed–3 1/8 in. (7.9 cm)
Weight–1.9 oz.



WILD TURKEY Model 4150

Blade–3 1/8 in. (7.9 cm), locking, modified clip
Closed–3 7/8 in. (10 cm)
Weight–2.2 oz.

Folding Work Knives

"technology with an edge"

Quality Work Knives Built Tough To Stay Tough

They fit your task like they were born to it–and fit your hand like a glove. Kershaw's line of folding work knives feature the robust performance of premium-quality, stainless-steel blades and durable, co-polymer handles.

Plus-new for 2001-2002, Kershaw is proud to pair the Black Horse with an equally tough, made-in-the-USA Mini Mag-lite®, complete with AA batteries.

- Premium 440A or 440C stainless-steel blades
- Finger-contoured, co-polymer handles for secure, comfortable grip in any condition
- Some models feature oval holes for one-handed opening
- Lock-back design enables easy release, secure locking

CANYON CITY II Model 1066AST
Steel–440C
Blade–3 3/4 in. (9.8 cm), locking, serrated, drop-point
Closed–4 7/8 in. (12.5 cm)
Weight–4.6 oz.
Includes nylon sheath

BLACK HORSE II Model 1060A
Steel–440A
Blade–3 3/4 in. (9.8 cm), locking, clip
Closed–4 7/8 in. (12.5 cm)
Weight–4.6 oz.
Includes nylon sheath

KERSHAW

OUTLAW SOLO II Model 1065A

Steel–440C
Blade–3 3/4 in. (9.8 cm), locking, clip
Closed–4 7/8 in. (12.5 cm)
Weight–4.6 oz.
Includes nylon sheath

Model 1060AGH

Steel–440A
Blade–3 3/4 in. (9.8 cm), locking, with gut hook
Closed–4 7/8 in. (12.5 cm)
Weight–4.6 oz.
Includes nylon sheath

BLACK HORSE II/ EDGE-TEK SHARPENER

Model 1060A-2

Model 1060A
PLUS Model 2525 Sharpener
Total weight–6.4 oz.
Includes nylon sheath

BLACK HORSE II/ ULTRA-TEK SHARPENER

Model 1060A-2S

Model 1060A
PLUS Model 2535 Sharpener
Total weight–6.8 oz.
Includes nylon sheath

BLACK COLT II

Model 1045A

Steel–440A
Blade–3 in. (7.5 cm), locking, clip
Closed–4 1/8 in. (10.4 cm)
Weight–3.5 oz.
Includes nylon sheath

EDGE-TEK SHARPENER

Model 2525

Pulse-arc-fused carbides, tapered shaft
Length–8 1/2 in. (21.5 cm)
Weight–1.7 oz.
Includes nylon sheath

ULTRA-TEK SHARPENER

Model 2535

600 grit, diamond coated, oval shaft
Length–9 1/2 in. (24.5 cm)
Weight–2.0 oz.

BLACK HORSE/MAG-LITE® COMBO

1060A-2F

Model 1060A
PLUS Mini-Mag-lite,
Energizer AA batteries
Total weight–7.1 oz.
Includes nylon sheath

Fixed Blades

"technology with an edge"

Reliable, Quality-Built Companions for Any Outdoor Adventure

Kershaw's fixed blade knives provide performance and control under even the most extreme conditions. Our NEW Echo hunting knife, designed by Ken Onion, offers the same strong performance, plus the unique, sure-grip handle design of an 'Onion' knife.

- Most popular blade shapes available
- Premium AUS6A and AUS8A steel, polished to a satin or mirror finish
- Wide selection of sport-specific handle materials–from finger-contoured phenolic to non-slip co-polymer to hardwood and steel
- All hunters include harness-leather sheath
- **Sea Hunters feature:**
  - –Blunt-tip or regular double-edge blade
  - –Cord-cutting hook
  - –Easy-to-spot neon and black design
  - –Diver's sheath with adjustable straps and quick-release buckles
- **Amphibian features:**
  - –Double-edged blade
  - –Open-tang handle for reduced weight
  - –Diver's sheath or leather boot sheath
- **Trooper features:**
  - –Mirror-polished, stainless-steel blade, pommel, and guard
  - –Ebony hardwood handle
  - –Presentation case with engraving plate
  - –Leather sheath with boot clip
  - –Serial numbered

ECHO Model 1070
Steel–AUS8A
Blade–4 in. (10.2 cm), fixed, drop-point
Overall–8 5/8 in. (22 cm),
Handle–Polyamide
Weight–4.8 oz.

KERSHAW CAMP AX
Model 1018
Steel–one-piece, drop forged high-carbon
Handle–Krayton
Weight–14.5 oz.

SEA HUNTER
Model 1008
Steel–420J2
Blade–3 3/4 in. (9.8 cm), double-edged, serrated, with cord-cutting hook
Overall–7 3/4 in. (19.8 cm)
Weight–3 oz.
Includes diver's sheath

SEA HUNTER
Model 1008 BL-P
Steel–420J2
Blade–3 1/2 in. (9 cm), blunt-tip, double-edged, serrated, with cord-cutting hook
Overall–7 5/8 in. (19.5 cm)
Weight–3 oz.
Includes diver's sheath



[illegible] II Model 2010

Steel–AUS6A
Handle–co-polymer
Blade–6 1/4 in. (15.8 cm), bowie-style, serrated back
Overall–11 1/8 in. (28.3 cm)
Weight–8.3 oz.

ROUGHNECK Model 1010

Steel–AUS6A
Handle–co-polymer
Blade–6 1/4 in. (15.8 cm),
Overall–11 1/8 in. (28.3 cm)
Weight–6.3 oz.

ELK SKINNER II Model 2014

Steel–AUS6A
Handle–co-polymer
Blade–4 1/2 in. (11.4 cm), skinning, with gut hook
Overall–9 3/8 in. (24.4 cm)
Weight–7.5 oz.

A computer-controlled laser etches the Kershaw logo into a quality blade for the Whirlwind with Speed-Safe assisted opening.

ELK SKINNER Model 1014

Steel–AUS6A
Handle–co-polymer
Blade–4 1/2 in. (11.4 cm), skinning, with gut hook
Overall–9 1/2 in. (24.4 cm)
Weight–5.1 oz.

DEER HUNTER Model 1030

Steel–AUS8A
Handle–co-polymer
Blade–4 in. (10.2 cm), drop-point
Overall–8 1/4 in. (21 cm)
Weight–8.2 oz.



AMPHIBIAN Model 1006L

Steel–420J2
Handle–steel with co-polymer inset
Blade–3 3/4 in. (9.5 cm), drop-point
Overall–7 3/4 in. (19.7 cm)
Weight–3.2 oz.
Includes leather boot sheath

FOLDING FIELD Model 1050

Steel–AUS8A
Handle–phenolic and brass
Blade–3 3/4 in. (9.5 cm), drop-point
Closed–4 3/4 in. (12 cm)
Weight–8.6 oz.

AMPHIBIAN Model 1006P
(not shown)
Available with diver's sheath

TROOPER
Model 1007
Steel–AUS8A
Handle–ebony and steel
Blade–5 1/4 in. (13.4 cm), double-edged
Overall–9 1/2 in. (24.5 cm)
Weight–7.8 oz.

Blade Traders

"technology with an edge"

More Tools in Less Space-That's the Beauty of the Blade Trader System

Kershaw's Blade Trader technology gives you the convenience of multiple, interchangeable blades in a single handle.

- Exclusive, Quik-Lock mechanism lets you safely trade blades in seconds
- Non-slip Blade Trader handles are ergonomically designed to reduce hand fatigue
- Convenient storage system included with all Blade Traders

- **CampTool Trader features:**
  - -Six tools for outdoor & indoor cooking
  - -Angled spatula, fork, spoon for natural use
  - -Two handles
  - -Storage system with handy hook

CAMP TOOL TRADER Model 1091CT

Steel–420J2; saw steel for saw
Cook's blade–6 in. (15.2 cm)
Fish fillet blade–6 in. (15.2 cm)
Saw blade–6 in. (15.2)
Spatula–3 5/8in. (9.2 cm)
Spoon–3 5/8in. (9.2 cm)
Fork–3 in. (7.5 cm)
Weight–27.6 oz.
Includes nylon storage system

KERSHAW

Model KER1099DBT

Steel–420J2; saw steel for saw
Cook's blade–6 in. (15.2 cm)
Fish fillet blade–6 in. (15.2 cm)
Saw blade–6 in. (15.2)
Carving blade–6 in. (15.2 cm)
Bread slicing blade–6 in. (15.2 cm)
Paring/utility blade–4 in. (10.5 cm)
Weight–19.3 oz.
Includes nylon sheath

ALASKAN BLADE TRADER Model 1098AK

Steel–AUS6A (Skinning), 420J2 (Hunting), Saw Steel
Skinning blade with
gut hook–4 3/8in. (11 cm)
Saw blade–6 in. (15.2)
Hunting blade–3 1/2 in. (9 cm)
Weight–11.6 oz.
Includes harness-
leather sheath

HUNTERS BLADE TRADER

Model 1094HBTL

Steel–420J2; saw steel for saw
Saw blade–6 in. (15.2)
Hunting blade–3 1/2 in. (9 cm)
Weight–9.2 oz.
Includes harness-leather sheath

FISHERMAN'S BLADE TRADER

Model 1096FBT

Steel–420J2
Fish fillet blade–9 in. (22.9 cm),
partially serrated
Fish fillet blade–6 in. (15.2 cm)
Weight–8.9 oz.
Includes nylon sheath

SPORTSMAN'S BLADE TRADER

Model 1095SBT

Steel–420J2; saw steel for saw
Saw blade–6 in. (15.2)
Hunting blade–3 1/2 in. (9 cm)
Fish fillet blade–6 in. (15.2 cm)
Weight–13.1 oz.
Includes nylon sheath

Model 1095SBTL

Steel–420J2; saw steel for saw
Saw blade–6 in. (15.2)
Hunting blade–3 1/2 in. (9 cm)
Fish fillet blade–6 in. (15.2 cm)
Weight–13.1 oz.
Includes harness-leather sheath

Angler's Knives & Shears

"technology with an edge"

Blades and Shears Matched to Your Task-Outdoor or Indoor

Always have the right tool for the job with this quality collection of blades and shears.

- **Fillet knives feature:**
  - –Non-slip handle
  - –Adjustable or fixed blades
- **Sportsman shears:**
  - –Feature AUS6A stainless-steel construction
  - –Unhinge for easy cleaning
  - –Have TaskMaster handles for sure grip
  - –Unhinge to provide skinning blade and gut hook
  - –Provide serrated edge for gripping, bone notch, bottle openers, nutcracker, jar opener, lifter/screwdriver
- **Trout/Bird and TaskMaster shears:**
  - –Feature AUS6A stainless-steel construction
  - –Unhinge for easy cleaning
  - –Have TaskMaster handles for sure grip
- **Fly-tying Scissors feature:**
  - –Wide finger loops for comfort and control
  - –High-carbon, stainless steel
- **Sewing scissors and shears feature:**
  - –Premium grade, tempered, stainless-steel blades
  - –Super-sharp, hand-honed edges
  - –Contours to reduce hand fatigue

SEVEN-STEP ADJUSTABLE FILLET KNIFE

Model 1240

Steel–420J2
Blade–adjusts from 5 1/2 in. (14.3 cm) to 9 in. (23 cm)
Weight–3.2 oz.
Includes ABS sheath

FILLET KNIFE

Model 1259

Steel–420J2
Blade–9 1/4 in. (23.3 cm)
Overall–14 1/4 in. (36.6 cm)
Weight–3.8 oz.
Includes ABS sheath

FILLET KNIFE

Model 1257

Steel–420J2
Blade–7 in. (18 cm)
Overall–12 in. (30.5 cm)
Weight–3.5 oz.
Includes ABS sheath

BARRAMUNDI FILLET KNIFE

Model 1246ST

Steel–420J2
Blade–6 in. (15.6 cm), fully serrated
Overall–11 3/4 in. (29.9 cm)
Weight–3.9 oz.
Includes ABS sheath

KERSHAW

[illegible] SCISSORS

Model 6005K

Overall–3 7/8 in. (9.8 cm)
Weight–.3 oz.

SEWING SCISSORS

Model 6015K

Overall–6 1/2 in. (16.5 cm)
Weight–2 oz.

DRESSMAKER SHEARS

Model 6020K

Overall–8 3/8 in. (21.4 cm)
Weight–4 oz.

[illegible] SHEARS WITH SHEATH

Model 6000-3K

Overall with sheath–
8 in. (20.5 cm) x 9 1/4 in.
(24.5 cm)
Total weight–15 oz

Kershaw serrations are CNC-machined to a precision edge.

TASKMASTER SHEARS

Model 1120 & 1120S

Overall–8 7/8 in.
(22.5 cm)
Weight–5.1 oz.

Model 1120S includes harness-leather sheath



SKEETER I FLY-TYING SCISSORS

Model 1210

Overall–4 1/4 in. (10.7 cm)
Weight–.8 oz.

SPORTSMAN'S SHEARS Model 1130

Steel–AUS6A
Blade–3 3/4 in. (9.7 cm),
modified drop-point
Overall–8 1/4 in. (21 cm)
Weight–7.2 oz.
Includes harness-leather sheath

TROUT/BIRD KNIFE & SHEARS

Model 1120CB

Steel–AUS6A
Blade–3 1/2 in.
(9 cm), drop-point
Knife overall–
7 1/2 in. (19.3 cm)
Shears overall–8 7/8 in. (22.5 cm)
Weight–9.1 oz.
Includes harness-leather sheath

SKEETER II FLY-TYING SCISSORS, SERRATED

Model 1215

Overall–4 1/4 in. (10.7 cm)
Weight–.8 oz.

Pocket Knives

"technology with an edge"

Personalized or Plain, These Executive Models Make the Perfect Pocket Knives

Ruggedly dependable and classically handsome, these Kershaw pocket knives are the right choice in the office or out on the town.

- **Silver Spur features:**
  - –Comfortable, grooved, flared design
  - –Lightweight, aircraft-aluminum alloy handle
  - –55-56 Rockwell rating
  - –Drilled lanyard or keyring hole
- **Stainless steel knife features:**
  - –Slim design
  - –Flat, satin-finish frame perfect for personalization
- **Money clip and keychain knives feature:**
  - –Rosewood inlay
  - –Flat frame for personalization

SILVER SPUR II Model 2825
Steel–AUS6A
Blade–2 1/4 in. (5.7 cm), locking, trailing-point
Closed–3 in. (7.6 cm)
Weight–.9 oz.

SILVER SPUR Model 2800
Steel–AUS6A
Blade–1 7/8 in. (4.7 cm), locking, trailing-point
Closed–2 1/2 in. (6.4 cm)
Weight–.6 oz.

STAINLESS STEEL POCKET KNIFE Model 5000
Steel–420J2
Blade–1 3/4 in. (4.5 cm), locking, trailing-point
Closed–2 1/4 in. (5.9 cm)
Weight–1.1 oz.

STAINLESS STEEL POCKET KNIFE
Model 5200S
Steel–420J2
Blade–2 3/8in. (6 cm), locking, clip-point
Closed–3 in. (7.6 cm)
Weight–1.7 oz.

MONEY CLIP KNIFE/ ROSEWOOD INLAY
Model 6400
Steel–AUS6A
Blade–1 5/8in. (4.1 cm)
Scissors–1 5/8in. (4.1 cm)
Nail file–1 5/8in. (4.1 cm)
Closed–2 in. (5.4 cm)
Weight–1.2 oz.

KEYCHAIN KNIFE/ ROSEWOOD INLAY
Model 6500
Steel–AUS6A
Blade–1 5/8in. (4.1 cm)
Scissors–1 5/8in. (4.1 cm)
Nail file–1 5/8in. (4.1 cm)
Closed–2 in. (5.4 cm)
Weight–1.6 oz.

KERSHAW

Kershaw Gear

Cool Kershaw Wearables in a Selection of Handsome Colors

You asked for it, you've got it–Kershaw and Ken Onion shirts and caps.

- 100% cotton
- Computer embroidered
- Leather accents on caps

KERSHAW BUTTON-FRONT SHIRT

Soft, 100% cotton shirts, generously sized in Medium, Large, and Extra-Large only with the Kershaw logo tastefully embroidered above left pocket. Choose Khaki, Dark Blue, Light Blue, Olive.

KERSHAW KEN ONION CAP

In black cotton, embroidered with the Kershaw/Ken Onion logo in red and white. Leather adjustment strap in back so one size fits all.

KERSHAW LOGO CAP

In olive and khaki cotton, embroidered with the Kershaw logo in dark olive. Leather adjustment strap in back so one size fits all.

Engraving

Three Ways to Put Your Name on Our Quality Products

Choose uncommon craftsmanship in the premiums, presentation gifts, corporate awards, and personal gifts you give. Choose Kershaw. We offer three different ways to emblazon your company's name and logo on our quality products.

Laser Engraving

Produces rich, accurately detailed scenes, deeply carved on quality hardwoods. Ideal for intricate artwork and logos. Provides a dramatic look.

Classic Metal Engraving

Accurately reproduces logos and symbols, initials, names, and text in a variety of typefaces. Provides a subtle, classy look.

Electro-Etching

Effectively reproduces logos or initials on stainless-steel blades or handles. Stands out more than metal engraving. Provides a bold look.

Kitchen & Steak Knife Sets

"technology with an edge"

The KAI Corporation—a History of Quality and Precision

KAI Corporation has been Japan's premier blade producer for more than 90 years. The company's innovative approach to product development is based on the close coordination of its research and development, production, marketing, and distribution functions. As KAI Corporation continues to expand its product lines and international trade, it will continue to earn the admiration and trust of its industry and customers.

- KAI is led by Chief Executive Officer Koji Endo.
- KAI today produces over 10,000 superior products.
- The company is especially noted for its innovative K-3 razor, the world's first triple-bladed razor.

KAI is proud to be able to bring you a selection of its fine products, including these quality cutlery sets.

SEVEN-PIECE STEAK KNIFE SET IN WOOD BLOCK

Model 9922-7

Includes:
6 Model 9922 steak knives, hardwood block

KITCHEN CUTLERY IN WOOD BLOCK

Model 9900-7

Set Includes:
Model 9900 paring knife, Model 9921 utility knife, Model 9940 chef's knife, Model 9970 slicing knife, Model 9990 sharpening steel, Model 1120 kitchen shears, hardwood block.

CUTLERY

2001-2002

kai USA ltd. "technology with an edge"

Bonvivant & Kershaw Kitchen Cutlery

SEVEN-PIECE STEAK KNIFE SET IN STORAGE BLOCK

Model BV54S-6

Includes:
6 Model BV54S steak knives, coated,
wooden storage block

SIX-PIECE CUTLERY SET IN STORAGE BLOCK

Model BV2956

Includes:
Model BV18 chef's knife,
Model BV29 slicing knife,
Model BV38 bread knife,
Model BV93V utility knife,
Model BV93 paring knife,
coated, wooden
storage block

Quality Cutlery

"technology with an edge"

Highly Efficient, Strikingly Beautiful Bonvivant Kitchen Cutlery

Bonvivant provides a complete line of kitchen knives and other kitchen tools. There's a Bonvivant knife for every food preparation task. This is top-of-the-line, quality cutlery you'll be proud to own and use.

- Unique, smooth design makes it easy to keep knives sparkling clean and sanitary
- IK6 Daido high-carbon, stainless-steel blades hold an edge and sharpen easily
- 18-8 stainless-steel handle provides durability and balance
- Ergonomic handles offer comfortable, less fatiguing grip
- A style for every task–from paring knife to Chinese Chef's knife
- Full-tang construction for strength

CHEF'S KNIFE

Model BV110

Blade–10 in. (25.5 cm)
Overall–14 1/2 in. (37 cm)
Weight–6.8 oz.

CHINESE CHEF'S KNIFE

Model BV77

Blade–7 in. (18 cm)
Overall–12 in. (30.5 cm)
Weight–9.6 oz.

BONVIVANT

Model BV29
Blade–9 in. (22.6 cm)
Overall–13 3/4 in. (35 cm)
Weight–5.4 oz.



Model BV18
Blade –8 in. (20 cm)
Overall–12 1/2 in. (32 cm)
Weight–6.5 oz.



Model BV93
Blade –3 in. (7.5 cm)
Overall–7 1/4 in. (18.4 cm)
Weight–2 oz.

UTILITY BLADE

Model BV93V
Blade –3 1/4 in. (8.4 cm)
Overall–7 1/2 in. (19 cm)
Weight–2.2 oz.

BREAD SLICING KNIFE

Model BV38
Blade –8 in. (20.5 cm)
Overall–12 5/8 in. (32 cm)
Weight–4.6 oz.



SANTOKU KNIFE

Model BV87
Blade –6 3/4 in. (17.2 cm)
Overall–11 7/8 in. (29.8 cm)
Weight–5.2 oz.



BONING KNIFE

Model BV46
Blade –6 in. (15.2 cm)
Overall–10 3/4 in. (27 cm)
Weight–4 oz.



STEAK KNIFE

Model BV54S
Blade –4 3/4 in. (12 cm)
Overall–8 3/4 in. (22.5 cm)
Weight–2.2 oz.

Kitchen Cutlery

"technology with an edge"

'Shaving Sharp' Cutlery with Soft-Touch Handles

This quality Kershaw kitchen cutlery offers the blend of durability and sharpening ease good cooks prefer. With proper care, they're corrosion resistant and dishwasher safe, too.

- 420J high-carbon, stainless-steel blades
- Soft-touch, co-polymer handles reduce hand fatigue and provide secure grip
- Handsome black-and-white styling is clean and elegant
- Eleven different styles, plus kitchen shears and sharpening steel, are available
- Clam-shell packing is specially designed to allow customers to grasp the unique handle for themselves

SLICING KNIFE Model 9970
Blade –9 in. (23 cm)
Overall–14 in. (35.5 cm)
Weight–4 oz.

CHEF'S KNIFE Model 9945
Blade –8 in. (20 cm)
Overall–13 in. (33 cm)
Weight–6.4 oz.

KERSHAW

SHARPENING STEEL Model 9990

Steel –9 in. (23 cm)
Overall–14 in. (36 cm)
Weight–13.2 oz.



BREAD KNIFE Model 9960

Blade –8 in. (20.1 cm)
Overall–12 3/4 in. (32.5 cm)
Weight–3.3 oz.

PARING KNIFE
Model 9900

Blade –2 7/8 in. (7.4 cm)
Overall–7 in. (17.6 cm)
Weight–1.4 oz.

VEGETABLE KNIFE
Model 9910

Blade –3 1/4 in. (8 cm)
Overall–7 1/4 in. (18.5 cm)
Weight–1.4 oz.

PARING KNIFE
Model 9915

Blade –3 3/4 in. (9.6 cm)
Overall–7 3/4 in. (19.5 cm)
Weight–1.4 oz.



UTILITY KNIFE
Model 9921

Blade –4 5/8 in. (11.8 cm)
Overall–8 5/8 in. (22 cm)
Weight–1.6 oz.

STEAK KNIFE
Model 9922

Blade –4 5/8 in. (11.8 cm)
Overall–8 5/8 in. (22 cm)
Weight–1.6 oz.

BONING KNIFE
Model 9920

Blade –5 1/2 in. (14.2 cm)
Overall–10 1/2 in. (26.6 cm)
Weight–2.8 oz.

ORIENTAL CHEF'S KNIFE
Model 9950

Blade –7 in. (18 cm)
Overall–12 in. (30.5 cm)
Weight–4 oz.

CHEF'S KNIFE
Model 9940

Blade –6 3/8 in. (16.3 cm)
Overall–11 1/2 in. (29.2 cm)
Weight–4 oz.

Kitchen Cutlery Sets

"technology with an edge"

CUTLERY SETS

CARVING KNIFE & FORK SET

Model BVS205

Includes:
Knife–8 in. (20.5 cm)
Fork–6 1/4 in. (16 cm)

CHEESE SET

Model BVG301

Includes:
Cheese plane overall–8 7/8 in. (22.5 cm)
Cheese knife overall–8 1/4 in. (21 cm)

PARING & VEGETABLE KNIFE SET

Model BVS211

Includes:
Paring knife blade–3 in. (7.5 cm)
Vegetable knife blade–3 1/4 in. (8.4 cm)

UTILITY, PARING & VEGETABLE KNIFE SET

Model BVS322

Includes:
Utility knife blade–4 3/4 in. (12 cm)
Paring knife blade–3 in. (7.5 cm)
Vegetable knife blade–3 1/4 in. (8.4 cm)

STEAK KNIFE SET

Model BVS321

Includes:
3 knives–4 3/4 in. blades (12 cm) each

CHEF'S SET

Model CB-3

Includes:
Model 9940 chef's knife, Model 9900 paring knife, solid wood cutting board
Note: wooden cutting boards should not be placed in the dishwasher.

Note: wooden cutting boards should not be placed in the dishwasher.

THREE-KNIFE GIFT PACK

Model 9920-3

Includes:
Model 9920 boning knife, Model 9921 utility knife, Model 9900 paring knife

SOMMELIER'S TOOL

Model 2170

Includes:
Blade, cork screw, bottle cap opener, fine-grain leather sheath

TASKMASTER KITCHEN SHEARS

Model 1120

Includes:
Model 1120 shears (see pg. 20 for product details)

PARING KNIFE SET

Model 9900-2

Includes:
Model 9900-2 paring knife, Model 9910 vegetable knife

COUNTER TOP DISPLAY

Model 9900-12

Includes:
12 Model 9900 paring knives, attractive, countertop display

Point-of-Sale Displays

"technology with an edge"

M1 DISPLAY

- Products are secured by industrial magnets and plastic clips
- Locks securely to protect your investment
- Comes assembled, you add the merchandise
- Dimensions: 7 in. deep x 13 in. wide x 16 in. high

M-2 DISPLAY

- All the features of the M-1, but with two handsome display faces to hold a greater selection of Kershaw products
- Rotating base for easy viewing
- Includes room for storage
- Dimensions: 13 1/2 in. deep x 13 in. wide x 16 in high

M-4 DISPLAY

- All the features of the M-1 and M-2 with four display faces
- Cases securely mount on top of each other

MULTI-TOOL STAND

- Stainless-steel stand lets you display the Kershaw Multi-Tool and its locking needle-nose pliers feature

POPSS ONION KNIFE FLASHING DISPLAY

- Displays Speed-Safe 'Onion' knife with black, titanium-nitride-coated blade
- Blinker LED attracts customer attention
- Adhesive foam mounts display securely on counter
- Blades and tip are blunted for safety

KERSHAW BANNER

- 18 X 48 inch white vinyl banner with red and black Kershaw logo; corner grommets for easy mounting

MULTI-TOOL 12-PACK DISPLAY

- Countertop display features full-color photo of the unique Kershaw Multi-Tool
- Comes stocked with 12 Model A100C Multi-Tools in Open-View packaging

POPSS2 ONION KNIFE FLASHING DISPLAY

- All the features of the POPSS, but with a silver blade

D-SHELF

- D-Shelf adds new selling space directly under the top of a glass showcase
- Clear, acrylic shelf is equipped with four sturdy suction cups
- Won't obscure view of products displayed on the lower shelves

LIMITED LIFETIME WARRANTY

Kershaw products are guaranteed for the lifetime of the original owner to be free of defects when received from the factory. Any product we find to be defective in its original material, construction, or workmanship will be repaired or replaced with the same item or one of equal value at no charge. (Of course, normal wear, abuse such as prying with the knife, or neglect are excluded from this non-transferable warranty.) For warranty service, please return product via UPS or insured mail. Include your name, address, telephone number, proof of purchase (sales slip), and a short explanation of the warranty service requested to the address below.

LIABILITY DISCLAIMER

Kershaw Knives are intended and sold for legitimate sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of local laws and regulations. Even airports have their own set of rules about what may or may not be permitted on planes or property. Due to the complexity and constantly changing nature of these laws and regulations, it is impossible for Kershaw Knives to be aware of every restriction in every location in which our knives are sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kershaw Knives, are solely responsible for any claims resulting from violation of these laws and/or regulations.

kershaw KNIVES

We reserve the right to change specifications or materials at any time without notice.

kai USA ltd.

25300 SW Parkway Avenue • Wilsonville, Oregon 97070 • (503) 682-1966 • 1-800-325-2891
FAX: (503) 682-7168 • Or visit our website at kershawknives.com

Printed in USA GAC 11/00 150M

Kershaw products are made in the USA, Japan, Taiwan, and China as indicated on the blade of the product.